Outline for Linear Equations and Inequalities of 2 variables

А

Graphing a line by Plotting Points

Substitute any value for x in the equation and solve for y. This results in a point (x, y). OR
 Substitute any value for y in the equation and solve for x. This results in

Substitute any value for y in the equation and solve for x. This results in a point (x, y).

2. **PLOT** a minimum of 2 points (3 preferable) and connect with a line.

В

Finding *x* and *y* intercepts

- To find the *x*-intercept: Let *y* equal zero and solve for *x*.
 This point (*x*, 0) is the *x*-intercept, where the line crosses the *x*-axis.
- 2. To find the *y*-intercept: Let *x* equal zero and solve for *y*. This point (0, *y*) is the *y*-intercept, where the line crosses the *y*-axis.
- 3. If x = 0 when y = 0, then the origin is both the x-intercept and the y-intercept.
- 4. Intercepts are often used as points to help graph a line.

С

Finding slope of a line from 2 given points

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

1. If two points (x_1, y_1) and (x_2, y_2) are known, the slope can be found using

the slope formula, $m = \frac{y_2 - y_1}{x_2 - x_1}$

2. If the result is $\frac{0}{\text{nonzero }\#}$, the slope is 0.

If the result is $\frac{\text{nonzero }\#}{0}$, the slope is undefined.

D

Finding the **slope** from an **equation of the line**

- 1. Solve the equation for y, y = mx + b form. The coefficient of the x term is the slope.
- 2. If an equation has only a *y* variable, it is a horizontal line and the slope is 0.
- 3. If an equation has only an *x* variable, it is a vertical line and the slope is undefined.

Slope-intercept form of an equation of a line

y = mx + b

- 1. Solve the equation for y, y = mx + b form.
- 2. The slope of the line is the coefficient of x and the point (0, b) is the *y*-intercept.
- 3. If given the slope *m* and the *y*-intercept (0, *b*), substitute those number directly in this form.
 - a) If the slope needs to be found first (from two points), use the slope formula.
 - b) Note: If the point's *x*-coordinate is not zero, the *y*-coordinate is not *b*. You must then use point-slope form.

F

Graphing a line using Slope and a Point

- 1. Begin at the point given; for example, the *y*-intercept.
- 2. Use rise over run to locate a second point on the line.
 - a) If the slope is positive, move up numerator number of units, then right denominator number of units (or down then left).
 - b) If the slope is negative, move down numerator number of units, then right denominator number of units (or up then left).

G

Point-Slope Form of an equation of a line, $y - y_1 = m(x - x_1)$

- 1. Substitute the slope of the line for *m*, the *x* coordinate of the point for x_1 , and the *y* coordinate of the point for y_1 .
- 2. This form can be converted to slope-intercept form or standard form.

Η

Standard Form of an equation of a line, Ax + By = C A > 0, A, B, and C are integers

- 1. Always clear denominators (clear fractions) from the equation first by multiplying each term of the equation by the LCD.
- 2. Move the terms with *x* and *y* to one side (*x* term in front) and the constant to the other side.
- 3. If the *x* term coefficient if negative, multiply each term by -1 so *A* is positive.

Е

4 types of Slopes

- 1. Positive Slope: line rises from left to right
- 2. Negative Slope: line falls from left to right
- 3. Zero Slope: line is horizontal
- 4. Undefined Slope: line is vertical
- J

Equations of Horizontal and Vertical Lines x = k and y = k

- 1. A vertical line through a point (k, h) has the equation x = k. (x = x-coordinate)
- 2. A horizontal line through a point (h, k) has the equation y = k. (y = y-coordinate)
- K Slope

Slopes of **Parallel** | | and **Perpendicular** \perp **Lines**

1. Parallel lines have the same slope. If

$$m = \frac{c}{d}$$
, then the slope of any parallel line is also $\frac{c}{d}$

2. Perpendicular lines have slopes that are opposite reciprocals.

If
$$m = \frac{c}{d}$$
, then $m_{\perp} = -\frac{d}{c}$

L

Graphing a Linear Inequality

- 1. Convert the Inequality to slope-intercept form (if not already).
- 2. If the inequality sign is \leq or \geq , make the line **solid**. If the inequality sign is < or >, make the line **dashed**.
- 3. If the sign is \leq or <, shade **below** the line. If the sign is \geq or >, shade **above** the line.
- 4. You can also use a 'test point' to determine which side to shade. If the original inequality is true after substituting *x* and *y*, shade that side. If the original inequality is false, shade the opposite side.

Ι